

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Canceled)
2. (Currently Amended) ~~The document extracting apparatus according to~~

~~Claim 1, A document extracting apparatus, comprising:~~

a document acquiring device to acquire a plurality of documents from an information source, according to a user-specific criteria, to be candidates for extraction;

a similarity computing device to compute all degrees of similarity between the plurality of documents, and express the degrees of similarity in a symmetric matrix,

the similarity computing device comprising:

_____ a character-string-dividing functional unit to divide each of the plurality of documents into predetermined character strings;

_____ a character-string frequency computing functional unit to compute document vectors of the plurality of documents on the basis of a frequency of appearance of the predetermined character strings divided by the character-string-dividing functional unit; and

_____ a mutual similarity computing functional unit to compute the degrees of similarity between the plurality of documents on the basis of the document vectors obtained from the character-string frequency computing functional unit;unit;

a combination computing device to compute all combinations of any number of documents from the plurality of documents;

a sum of degrees of similarity computing device to compute, with respect to all of the combinations, a sum of the degrees of similarity between all of the documents that

constitute each combination, based on all of the degrees of similarity expressed in the symmetric matrix; and

a document extracting device to extract documents constituting the combination with the smallest sum of the degrees of similarity among the plurality of documents constituting the respective combinations.

3. (Previously Presented) The document extracting apparatus according to Claim 2,

the character-string-dividing functional unit dividing each of the plurality of documents into predetermined character strings using any of the following character string division methods: a morphological analysis method, an n-gram method, and a stop-word method.

4. (Previously Presented) The document extracting apparatus according to Claim 2,

the character-string frequency computing functional unit generating document vectors obtained by weighting each of the plurality of documents by a term frequency and inverse document frequency (TFIDF) weighting method on the basis of a frequency of appearance of the divided character strings.

5. (Previously Presented) The document extracting apparatus according to Claim 2,

the mutual similarity computing functional unit computing degrees of similarity between the plurality of documents by a vector space method on the basis of the document vectors of the plurality of documents.

6. (Canceled)

7. (Currently Amended) ~~The media according to Claim 6, A computer-readable~~
media having a document extracting program allowing a computer to serve as:
a document acquiring device to acquire a plurality of documents from an
information source, according to a user-specific criteria, to be candidates for extraction;
a similarity computing device to compute all degrees of similarity between the
plurality of documents, and express the degrees of similarity in a symmetric matrix,
the similarity computing device comprising:
_____ a character-string-dividing function to divide each of the plurality of
documents into predetermined character strings;
_____ a character-string frequency computing function to compute document
vectors of the plurality of documents on the basis of a frequency of appearance of the
predetermined character strings divided by the character-string-dividing function; and
_____ a mutual similarity computing function to compute the degrees of
similarity between the plurality of documents on the basis of the document vectors obtained
by the character-string frequency computing ~~function;~~ function;
a combination computing device to compute all combinations of any number
of documents from the plurality of documents;
a sum of degrees of similarity computing device to compute, with respect to all
of the combinations, a sum of the degrees of similarity between all of the documents that
constitute each combination, based on all of the degrees of similarity expressed in the
symmetric matrix; and
a document extracting device to extract documents constituting the
combination with the smallest sum of the degrees of similarity among the plurality of
documents constituting the respective combinations.

8. (Currently Amended) ~~The media according to Claim 6.~~ A computer-readable media having a document extracting program allowing a computer to serve as:
a document acquiring device to acquire a plurality of documents from an information source, according to a user-specific criteria, to be candidates for extraction;
a similarity computing device to compute all degrees of similarity between the plurality of documents, and express the degrees of similarity in a symmetric matrix,
the similarity computing device comprising:
a character-string-dividing function to divide each of the plurality of documents into character strings using any one of character string division methods;
a character-string frequency computing function to generate document vectors obtained by weighting each of the documents by a term frequency and inverse document frequency (TFIDF) weighting method on the basis of a frequency of appearance of the divided character strings; and
a mutual similarity computing function to compute the degrees of similarity between the plurality of documents by a vector space method on the basis of the document vectors of the plurality of documents,
a combination computing device to compute all combinations of any number of documents from the plurality of documents;
a sum of degrees of similarity computing device to compute, with respect to all of the combinations, a sum of the degrees of similarity between all of the documents that constitute each combination, based on all of the degrees of similarity expressed in the symmetric matrix; and
a document extracting device to extract documents constituting the combination with the smallest sum of the degrees of similarity among the plurality of documents constituting the respective combinations.

9. (Canceled)

10. (Currently Amended) ~~The document extracting method according to Claim 9,~~
~~further comprising: A document extracting method, comprising:~~

_____ acquiring a plurality of documents from an information source, according to a
user-specific criteria, to be candidates for extraction;

_____ computing all degrees of similarity between the plurality of documents, and
expressing the degrees of similarity in a symmetric matrix;

_____ computing all combinations of any number of documents from the plurality of
documents;

_____ computing, with respect to all of the combinations, a sum of the degrees of
similarity between all of the documents that constitute each combination, based on all of the
degrees of similarity expressed in the symmetric matrix; and

_____ extracting documents constituting the combination with the smallest sum of
the degrees of similarity among the plurality of documents constituting the respective
combinations;

dividing each of the documents into predetermined character strings,
computing a frequency of appearance of the divided character strings, computing document
vectors of the plurality of documents on the basis of the frequency of appearance of the
predetermined character strings, and then computing the degrees of similarity between the
plurality of documents using the document vectors.

11. (Currently Amended) ~~The document extracting method according to Claim 9,~~
~~further comprising: A document extracting method, comprising:~~

_____ acquiring a plurality of documents from an information source, according to a user-
specific criteria, to be candidates for extraction;

computing all degrees of similarity between the plurality of documents, and expressing the degrees of similarity in a symmetric matrix;

computing all combinations of any number of documents from the plurality of documents;

computing, with respect to all of the combinations, a sum of the degrees of similarity between all of the documents that constitute each combination, based on all of the degrees of similarity expressed in the symmetric matrix; and

extracting documents constituting the combination with the smallest sum of the degrees of similarity among the plurality of documents constituting the respective combinations;

dividing each of the plurality of documents into predetermined character strings using any one of character string division methods, including a morphological analysis method, an n-gram method, and a stop-word method, computing document vectors of the plurality of documents by weighting each of the documents by a term frequency and inverse document frequency (TFIDF) weighting method on the basis of a frequency of appearance of the divided predetermined character strings, and computing the degrees of similarity between the plurality of documents using a vector space method on the basis of the document vectors.

12-14. (Canceled)